

Bjorn Bie, M.D.
Eric Stein, M.D.
Arthur Lauretano, M.D.
Vijay Nayak, M.D.
Jessica Hootnick, M.D.
Vishnu Kannabiran, M.D.
Scott Finlay, M.D.
Katherine Nickley, M.D.
Ashley Swanson, PA-C



MASSACHUSETTS
EAR, NOSE AND THROAT ASSOCIATES

3 Meetinghouse Road
Chelmsford, MA 01824
280 Main Street
Suite 140
Nashua, NH 03060
Phones: (978) 256-5557
(603) 594-3025
Fax: (978) 256-1835
www.massent.com

Adenoidectomy Consent form

Possible risks include *but are not limited to*:

1. Bleeding (immediate or delayed). This may require treatment including further surgery.
Bleeding can occur up to 10 days after the surgery.
2. There might be temporary or permanent change of voice.
3. There might be temporary (or rarely a permanent) problem with nasal regurgitation of food or liquids when eating or drinking.
4. Possible injury to the teeth and tissues of the mouth and throat.
5. There might be scar formation in the back portion of the nose or in the area behind the soft palate.
6. There might be possible regrowth of adenoid tissue in the future.

I have read and understand the above information and all of my questions have been answered.

I understand this surgery is elective (optional) and my alternatives include not having surgery.

Patient, Parent, or Guardian

Date

COPY GIVEN TO PATIENT